

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

**In re patent of:** Kashmiri et al.

**Patent No.** 7,589,181

**Issued:** September 15, 2009

**Application No.** 10/570,220

**Filed:** February 28, 2006

**Confirmation No.** 8168

**For:** MINIMALLY IMMUNOGENIC  
VARIANTS OF SDR-GRAFTED  
HUMANIZED ANTIBODY CC49 AND  
THEIR USE

**Examiner:** David J. Blanchard

**Art Unit:** 1643

**Attorney Reference No.** 4239-66649-03

**FILED VIA EFS**

COMMISSIONER FOR PATENTS

REQUEST FOR CERTIFICATE OF CORRECTION

The following printing errors were noted in comparing the printed patent with the papers in the attorneys' files:

On the Title Page:

The Notice, "Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 1549b) by 257 days." should read -- Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 1549b) by 456 days. --

In the Specification:

Column 2, line 25, "et aL," should read -- et al. --

Column 2, line 31, "Res 30 3:1547" should read -- Res 3:1547 --

Column 3, line 48, "HindIII/SacI" should read -- HindIII/SacII --

Column 3, line 55 "EcoRI/ApaI" should read -- ECORIIApaI --

Column 7, line 39 "Disulfide" should read -- disulfide --

## Column 21, line 25 (in Table I)

"V10 Tyr Phe Ser Pro Gly Asn Asp Asp Phe Lys Tyr SER GLN LYS Phe GLN Gly"  
should read

--V10 Tyr Phe Ser Pro Gly Asn Asp Asp Phe Lys Tyr SER GLN LYS Phe GLN Gly--  
Column 21, line 25 (in Table I)

"HuCC49 Set Leu Asn Met Ala - - - Tyr"  
should read

--HuCC49 Ser Leu Asn Met Ala - - - Tyr--

## Column 21, line 31 (in Table I)

"V10 Set Leu Asn Met Ala Tyr"  
should read

--V10 Ser Leu Asn Met Ala Tyr--

Column 21, line 46 "at position" should read -- at positions --

Column 23, line 22 "FR2: WYQQKIPGQSPKLLIY (SEQ ID NO: 2)" should read --

FR2: WYQQKPGQSPKLLIY (SEQ ID NO: 2) --

Column 24, line 7 "69, 80" should read -- 69, and 80 --

Column 24, line 10 "positions number 12" should read -- position numbers 12 --

Column 24, line 11 "69, 80" should read -- 69, and 80 --

Column 24, line 35 "SEQ NOs:" should read -- SEQ ID NOs: --

Column 26, line 2 "17, 18, 18 or 20" should read -- 17, 18, 19 or 20 --

Column 30, line 6 "include of a humanized" should read -- include a humanized --

Column 30, line 17 "For example" should read -- for example --

Column 34, line 27 (in the table)

"3' VL (19,21): 5'-GGACTTGCAATTGATAGTGGCCCTCTCGCG -3' (SEQ ID NO: 54)"  
should read

--3' VL (19,21): 5'-GGACTTGCAATTGATAGTGGCCCTCTCGCC-3' (SEQ ID NO: 54) --

Column 34, line 31 (in the table)

"3' VL (106): 5'GCAGCGCGGCCCGTTTGATTTCAGCTTGGTGCC-3' (SEQ ID NO: 58)"

Should read --

--3' VL (106): 5'GCAGCGCGGCCCGTTTGATTTCAGCTTGGTGCC-3' (SEQ ID NO: 58) --

Column 34, line 66 "SaciI" should read -- SacII --

Column 36, line 48 "(3SM)" should read -- (BSM) --

Column 37, line 43 "Didlinson" should read -- Dickinson --

In the Claims:

Column 75, line 30 "SEO" should read -- SEQ --

Column 75, line 33 "SEO" should read -- SEQ --

Column 75, line 36 "SEO" should read -- SEQ --

Column 75, line 38 "SEO" should read -- SEQ --

Column 75, line 40 "SEO" should read -- SEQ --

Column 75, line 43 "SEO" should read -- SEQ --


Column 75, line 44 "SEO" should read -- SEQ --

Since not all of the errors are attributable to the Patent Office, enclosed is the fee of \$100.00 pursuant to 37 C.F.R. 1.20(a). The preceding corrections remedy mistakes of a typographical nature and/or minor character. A proposed Certificate of Correction is enclosed to make formal notice of the errors in the referenced patent. Applicants request that the Patent Office provide a formal Certificate of Correction to correct the errors noted herein.

Respectfully submitted,

KLARQUIST SPARKMAN, LLP

One World Trade Center, Suite 1600  
121 S.W. Salmon Street  
Portland, Oregon 97204  
Telephone: (503) 595-5300  
Facsimile: (503) 595-5301

By   
Ian J. Griswold, Ph.D.  
Registration No. 57,338

cc: Docketing

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,589,181  
APPLICATION NO. : 10/570,220  
ISSUE DATE : September 15, 2009  
INVENTOR(S) : Kashmiri et al.

Page 1 of 3

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page:

The Notice, "Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 1549b) by 257 days." should read -- Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 1549b) by 456 days. --

In the Specification:

Column 2, line 25, "et aL," should read -- et al. --

Column 2, line 31, "Res 30 3:1547" should read -- Res 3:1547 --

Column 3, line 48, "HindIII/SacI" should read -- HindIII/SacII --

Column 3, line 55 "EcoRI/ApaI" should read -- ECORIIApaI --

Column 7, line 39 "Disulfide" should read -- disulfide --

**MAILING ADDRESS OF SENDER:**

Klarquist Sparkman, LLP  
One World Trade Center, Suite 1600  
121 SW Salmon Street  
Portland Oregon, 97204

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,589,181  
APPLICATION NO. : 10/570,220  
ISSUE DATE : September 15, 2009  
INVENTOR(S) : Kashmiri et al.

Page 2 of 3

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 21, line 25 (in Table I)

"V10 Tyr Phe Ser Pro Gly Asn Asp Asp Phe Lys Tyr SER GLN LYS Phe GLN Gly"  
should read

--V10 Tyr Phe Ser Pro Gly Asn Asp Asp Phe Lys Tyr SER GLN LYS Phe GLN Gly--

Column 21, line 25 (in Table I)

"HuCC49 Set Leu Asn Met Ala - - - Tyr"  
should read

--HuCC49 Ser Leu Asn Met Ala - - - Tyr--

Column 21, line 31 (in Table I)

"V10 Set Leu Asn Met Ala Tyr"  
should read

--V10 Ser Leu Asn Met Ala Tyr--

Column 21, line 46 "at position" should read -- at positions --

Column 23, line 22 "FR2: WYQQKIPGQSPKLLIY (SEQ ID NO: 2)"  
should read -- FR2: WYQQKPGQSPKLLIY (SEQ ID NO: 2) --

Column 24, line 7 "69, 80" should read -- 69, and 80 --

Column 24, line 10 "positions number 12" should read -- position numbers  
12 --

Column 24, line 11 "69, 80" should read -- 69, and 80 --

Column 24, line 35 "SEQ NOs:" should read -- SEQ ID NOs: --

Column 26, line 2 "17, 18, 18 or 20" should read -- 17, 18, 19 or 20 --

Column 30, line 6 "include of a humanized" should read -- include a  
humanized --

MAILING ADDRESS OF SENDER:

Klarquist Sparkman, LLP  
One World Trade Center, Suite 1600  
121 SW Salmon Street  
Portland Oregon, 97204

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,589,181  
APPLICATION NO. : 10/570,220  
ISSUE DATE : September 15, 2009  
INVENTOR(S) : Kashmiri et al.

Page 3 of 3

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 30, line 17 "For example" should read -- for example --

Column 34, line 27 (in the table)

"3' VL (19,21): 5'-GGACTTGCAATTGATAGTGGCCCTCTCGCG -3' (SEQ ID NO: 54)"  
should read

--3' VL (19,21): 5'-GGACTTGCAATTGATAGTGGCCCTCTCGCC-3' (SEQ ID NO: 54) --

Column 34, line 31 (in the table)

"3' VL (106): 5'GCAGCGCGGCCCCGTTTGATTCCAGCTTGGTGCC-3' (SEQ ID NO: 58)"  
Should read --

--3' VL (106): 5'GCAGCCGCGGCCCCGTTTGATTCCAGCTTGGTGCC-3' (SEQ ID NO: 58) --

Column 34, line 66 "Sacil" should read -- SacII --

Column 36, line 48 "(3SM)" should read -- (BSM) --

Column 37, line 43 "Didlinson" should read -- Dickinson --

In the Claims:

Column 75, line 30 "SEO" should read -- SEQ --

Column 75, line 33 "SEO" should read -- SEQ --

Column 75, line 36 "SEO" should read -- SEQ --

Column 75, line 38 "SEO" should read -- SEQ --

Column 75, line 40 "SEO" should read -- SEQ --

Column 75, line 43 "SEO" should read -- SEQ --

Column 75, line 44 "SEO" should read -- SEQ --

**MAILING ADDRESS OF SENDER:**

Klarquist Sparkman, LLP  
One World Trade Center, Suite 1600  
121 SW Salmon Street  
Portland Oregon, 97204